

BAUX IS FOUNDED
ON THE BELIEF
THAT BUILDING
MATERIALS
SHOULD BE BOTH
SURPRISINGLY
FUNCTIONAL AND
REMARKABLY
BEAUTIFUL.

LET'S BUILD!

BAUX ACOUSTIC WOOD WOOL PRODUCTS



Wood wool is a functional, natural material.


BAUX Acoustic Wood Wool is made from two of the world's oldest building materials, wood and cement.

The combination is simple and ingenious. Wood fibre offers excellent insulation, heat retention and sound absorption. Cement, a proven and popular building material, is the binder that provides strength, moisture resistance and fire protection. Therefore, BAUX Acoustic products are versatile and durable in all climates.

ACOUSTIC TILES

SQUARE

Large: 2.97 tiles per m²
Small: 11.9 tiles per m²
25 mm thick




RECTANGLE

Large: 1.49 tiles per m²
Small: 5.95 tiles per m²
25 mm thick




CIRCLE

Large: 3.78 tiles per m²
Small: 15.1 tiles per m²
25 mm thick



TRIANGLE

Large: 5.95 tiles per m²
Small: 23.8 tiles per m²
25 mm thick



PLANK

NATURALLY COLOURED

Large: 2.97 tiles per m²
Small: 11.9 tiles per m²
25 mm thick




PARALLELOGRAM

Large: 2.97 tiles per m²
Small: 11.9 tiles per m²
25 mm thick



HEXAGON

Large: 4.45 tiles per m²
Small: 17.8 tiles per m²
25 mm thick



ACOUSTIC PANELS


QUILT

1.49 tiles per m²
25 mm thick



STRIPES

1.49 tiles per m²
25 mm thick



DIAGONAL

1.49 tiles per m²
25 mm thick



LINES

1.49 tiles per m²
25 mm thick



CHECK


1.49 tiles per m²
25 mm thick



ACOUSTIC 3D

3D PIXEL

11.9 tiles per m²



70




70 mm thick

50




50 mm thick

25

25 mm thick



INSPIRATION




INSPIRATION



INSPIRATION



INSPIRATION



INSPIRATION



INSPIRATION



COLOUR SCHEME


CLOUDS

WOODS


SKY IN THE SEA

HEAT OF THE SUN


EARTH AND MOUNTAIN




NCS 9000-N




NCS S 6020-B




NCS S 3050-R90B




NCS S 4040-R10B




NCS S 5020-Y90R




NCS S 7502-B




NCS S 4020-G10Y




NCS S 3020-B10G




NCS 3040-R10B




NCS 3050-Y40R




NCS S 2502-B




NCS S 1020-G




NCS S 0530-B10G




NCS S 1030-R10B




NCS S 2030-Y40R




NCS S 0300-N




NCS S 1010-G30Y



NCS S 2020-B70G




NCS S 0520-Y80R



NCS S 1510-R40B

SOUND



This graph shows the practical absorption coefficient of 25 mm thick BAUX Acoustic Wood Wool at any given audio frequency.

The material structure of BAUX Acoustic products reduces sound reflections, making it a great sound absorber. The material dampens noise and contributes to restful acoustics in residential buildings, industrial premises and public spaces.

GET IN TOUCH

INFO@BAUX.SE
WWW.BAUX.SE

BAUX