


Elam-Interior

Thin decoration panel



elaminteriööri



Versatile thin perforated interior panel for several applications

Thin wood based panel of plywood or MDF. Veneered or or raw surface.

Perforation shape, size and hole distance can be chosen nearly freely according to customers wishes. For example squares, circles, company-logos, text etc.

Elam Oy

Vanha Porvoontie 36
FIN-04600 MÄNTSÄLÄ
Phone: +358 (0)19 687 1103
Fax: +358 (0)19 6871115
E-mail: elam@elam.fi
www.elam.fi



Nokia Mobile Phones, visitor center, Salo Finland



Nokia Mobile Phones, henkilöstöruokala, Salo Finland



Travel Agency office, Helsinki



Base board: 3 mm MDF-panel or 4 mm plywood,
Standard size 1200 x 2400-2700 mm.

Surface options:

Wood veneer: All commercial wood species are possible. Veneer can be on both sides or one side of panel, when there is balance veneer or cardboard on the opposite side.

Finish options: lacquer, staining, waxing or oil treatment.


Painting

Birch plywood, veneer surface S/WG -quality.


It's possible to glue black or white acoustic fabric on the back of the panel when necessary.

Round holes and squareness holes, inner corners R 3 mm:


Scale 1:5




Wave




D 8/20 cc 32 mm




D 6 cc 32 mm




Random D 8/12/18 mm




Square 12x12 cc 32 mm



Square 12x12/44x44 cc 32




Square 44x44 cc 96 mm




Square 20x20 cc 40 mm




Squareness holes with sharp corners (minimum order 60m2):




Hole size 10x10 mm, sharing cc 45 mm Hole area 5 %.



Hole size 12x12 mm, sharing cc 32,5 mm Hole area 14 %.



Hole size 20x20 mm, sharing cc 40 mm Hole area 25 %.



Hole size 20x20 mm, sharing cc 66 mm Hole area 9 %.

